



		DESIGN	CONVEYOR DESIGN											
		CAPACITY	CAPACITY	CAPACITY	CONVEYOR	DENSITY	CAPACITY	LENGTH	LIFT	ANGLE	CALCULATED	INSTALLED	# OF FANS	# OF FANS
		CUBFT/HR	350 FPM	490 FPM	TYPE	#/CUBFT	TON/HR	FT	FT	DEG	HP	HP	3HP	1HP
41170	Bark Screen Conveyor	13,000	18,000	28,400	CT30	15.00	98	211	32	9	8.5	15	2	2
41195	Fuel Storage Infeed Conveyor	13,000	18,000	28,400	CT30	20.00	130	238	81	20	13	25	2	2
41233	Fuel Surge Bin Infeed	22,000	53,200	75,800	CT48	20.00	220	88	27	18	8	15	1	1
41260	Heat Energy System Feed Conveyor #1	11,000	18,000	28,400	CT30	20.00	110	293	45	14	11.5	15	2	2
41265	Heat Energy System Feed Conveyor #2	11,000	18,000	28,400	CT30	20.00	110	247	46	11	10	15	2	2
42095	#1 Green Bin Infeed Conveyor	37,300	53,200	75,800	CT48	8.00	149	383	81	12	24.5	40	3	2
42100	#2 Green Bin Infeed Conveyor	37,300	53,200	75,800	CT48	8.00	149	382	81	13	24.5	40	3	2
42105	#3 Green Bin Infeed Conveyor	37,300	53,200	75,800	CT48	8.00	149	355	81	13	24.5	40	3	2
43360	Dry Fire Dump Conveyor	67,000	53,200	75,800	CT48	10.00	335	150	0	0	4.5	10	1	1
43375	Flake Recovery Bin Infeed Conveyor	67,000	53,200	75,800	CT48	10.00	335	179	37	12	19	25	2	1

Please note that all of the information contained here is provided in good faith to describe assets available for sale “as-is, where-is and without warranty”. The information is believed to be accurate, however, verification of the details and determination of suitability for use are the responsibility of the buyer. Availability is subject to prior sale.



		DESIGN		CONVEYOR DESIGN										
		CAPACITY	CAPACITY	CAPACITY	CONVEYOR	DENSITY	CAPACITY	LENGTH	LIFT	ANGLE	CALCULATED	INSTALLED	# OF FANS	# OF FANS
		CUBFT/HR	350 FPM	490 FPM	TYPE	#/CUBFT	TON/HR	FT	FT	DEG	HP	HP	3HP	1HP
43385	Flake Recovery Conveyor	25,000	18,000	28,400	CT30	10.00	125	326	23	4	8.6	15	3	2
43387	Recovery Transfer Conveyor	25,000	18,000	28,400	CT30	10.00	125	40	0	0	0.7	5	1	1
43390	Dry Screen #1 Infeed Conveyor	23,000	24,400	41,500	CT36	5.50	63	278	32	6	8.8	15	2	2
43395	Dry Screen #2 Infeed Conveyor	23,000	24,400	41,500	CT36	5.50	63	217	30	8	7.8	15	2	1
43400	Dry Screen #3 Infeed Conveyor	23,000	24,400	41,500	CT36	5.50	63	154	32	12	7	15	1	1
43500	Dry Fines Feed Conveyor	8,000	18,000	28,400	CT30	7.00	28	100	0	0	1.2	5	1	1
43520	Dry Fines Feed Conveyor	8,000	18,000	28,400	CT30	7.00	28	257	62	14	5.3	10	2	2
43550	Dry Fines Feed Conveyor	8,000	18,000	28,400	CT30	7.00	28	132	0	0	1.5	5	1	1
43600	Core Collection Conveyor	18,000	18,000	28,400	CT30	5.50	50	132	0	0	1.9	5	1	1
43605	Core Dry Fine Feed Conveyor	18,000	18,000	28,400	CT30	5.50	50	262	77	17	11.5	15	2	2

Please note that all of the information contained here is provided in good faith to describe assets available for sale “as-is, where-is and without warranty”. The information is believed to be accurate, however, verification of the details and determination of suitability for use are the responsibility of the buyer. Availability is subject to prior sale.



		DESIGN		CONVEYOR DESIGN										
		CAPACITY	CAPACITY	CAPACITY	CONVEYOR	DENSITY	CAPACITY	LENGTH	LIFT	ANGLE	CALCULATED	INSTALLED	# OF FANS	# OF FANS
		CUBFT/HR	350 FPM	490 FPM	TYPE	#/CUBFT	TON/HR	FT	FT	DEG	HP	HP	3HP	1HP
43660	Faze Accepts Conveyor #1	14,000	18,000	28,400	CT30	4.50	32	225	70	17	7.9	15	2	2
43710	Faze Accepts Conveyor #2	14,000	18,000	28,400	CT30	4.50	32	248	70	18	7.9	15	2	2
43760	Faze Accepts Conveyor #3	14,000	18,000	28,400	CT30	4.50	32	216	70	18	7.9	15	2	1
44095	Dry Bin Distribution Conveyor	18,000	18,000	28,400	CT30	5.50	50	19	0	0	10	15	1	1
45010	Bottom Face-Infeed Conveyor	23,000	24,400	41,500	CT36	6.00	69	212	58	20	13	25	2	1
45020	Top Face Infeed Conveyor	23,000	24,400	41,500	CT36	6.00	69	199	58	21	13	25	2	1
45030	Core-Feed Conveyor	23,000	24,400	41,500	CT36	6.00	69	201	58	22	13	25	2	1
45325	Reject Return Conveyor #1	10,000	18,000	28,400	CT30	5.50	28	227	12	3	3.2	5	2	2

Please note that all of the information contained here is provided in good faith to describe assets available for sale “as-is, where-is and without warranty”. The information is believed to be accurate, however, verification of the details and determination of suitability for use are the responsibility of the buyer. Availability is subject to prior sale.